

# iggual

## EC DECLARATION OF CONFORMITY

Brand name: **iggual**

Models:

iggual Cash Drawer IRON-10, IRON-10R, IRON-10W  
iggual Cash Drawer IRON-20, IRON-30, IRON-30B, IRON-30W, IRON-35  
iggual Cash Drawer IRON-50, IRON-50W, IRON 30PW  
iggual Cash Drawer IRON-70, IRON HD

Product description: **CASH DRAWER**


Procedures:

- EMC Directive 2014/30/EU
- RoHS Directive 2011/65/EU

European norms and standards:

- EN 55032:2015 + A11:2020, EN 55035:2017 + A11:2020
- IEC 62321-4:2013+A1:2017, IEC 62321-5:2013
- IEC 62321-6:2015, IEC 62321-7-1:2015, IEC 62321-7-2:2017
- IEC 62321-8:2017

Juan José Alfonso




Manager Quality

Infortisa, S.L.  
C/ del Pozo, 1  
46115, Alfara del Patriarca  
Valencia, Spain  
[www.infortisa.com](http://www.infortisa.com)



# iggual

# Cash Drawer IRON



# iggual

Importado por / Imported by:  
INFORTISA, S.L.  
CIF: B46466421  
[info@iggual.com](mailto:info@iggual.com)



MADE IN CHINA

El contenido puede estar sujeto a errores tipográficos / The content may have typographical mistakes

[www.iggual.com](http://www.iggual.com)

## Guía de usuario - User guide

IGG316351 - IGG315316 - IGG315767 - IGG317440  
IGG317433 - IGG316368 - IGG316344 - IGG317938  
IGG317945 - IGG318942 - IGG319307 - IGG317464

CARACTERÍSTICAS	IRON-10 / IGG316368 IRON-10W / IGG315316	IRON-30 / IGG316351 IRON-30W / IGG315767 IRON-30PW / IGG318782 IRON-20 / IGG319307 IRON-35 / IGG317464	IRON-50 / IGG316344 IRON-50W / IGG317440	IRON-70 / IGG317433	IRON-10R / IGG317945	IRON-30B / IGG317938	IRON-HD / IGG318942
Ranura de acceso frontal	1	1	1	2	1	1	2
Rodillos de cojinete de bolas de alta resistencia	✓	✓	✓	✓	✓	✓	✓
Cerradura tres posiciones de bloqueo	✓	✓	✓	✓	✓	✓	✓
Apertura manual o automática	✓	✓	✓	✓	✓	✓	✓
Interfaz RJ11 (alimentación 12V)	✓	✓	✓	✓	✓	✓	✓
Humedecedor (yemas dedos)	✗	✗	✗	✗	✓	✓	✗
Marco decorativo	No	No	No	No	No	Azul	No
Color	Negro (10) Blanco Marfil (10W)	Negro (20, 30, 35) Blanco Marfil (30W) Blanco Puro (30PW)	Negro (50) Blanco Marfil (50W)	Negro (70)	Negro (10R)	Negro (30B)	Negro
Peso (kg)	3,4	4,5	4,7	5,7	3,6	4,7	7,2
Compartimentos	4 billetes y 6 monedas	5 billetes y 5 monedas (IRON-30-30W-30PW) 4 billetes y 8 monedas (IRON-20) 5 billetes y 6 monedas (IRON-35)	5 billetes y 8 monedas	5 billetes y 8 monedas	4 billetes y 5 monedas	5 billetes y 7 monedas o 7 billetes y 5 monedas	5 billetes y 8 monedas
Dimensiones (mm)	380x335x80	420x405x100	420x405x100	445x425x90	380x335x90	420x405x100	415x410x100

### 1. Uso del compartimento de monedas

Puede almacenar recibos o cheques en la ranura situada en el panel frontal. Para recuperarlos, saque el compartimento de monedas. Si desea ajustar el número y medida de los compartimentos, únicamente debe desplazar los separadores al lugar deseado.

### 2. Cómo abrir el cajón portamonedas

- Apertura con llave: inserte la llave en la cerradura y gire a la posición de apertura manual.
- Apertura automática: inserte la llave en la cerradura, gire a la posición de apertura automática, saque la llave y conecte el cajón al dispositivo que desee (impresora de tickets, visor...).

### 3. Instrucciones de seguridad, mantenimiento

- Nunca abra el dispositivo. Las partes internas tienen peligro de descarga eléctrica.
- No instale esta unidad cerca de agua ni derrame ningún tipo de líquido sobre la unidad.
- Evite introducir objetos de ningún tipo.
- Utilice siempre cables homologados y recomendados por el fabricante.
- Mantenga siempre el producto a una temperatura ambiente no superior a los 30°C.
- Limpie el producto con un paño suave y seco.

### 4. Reciclado

Los productos eléctricos o electrónicos, las baterías y los acumuladores y otros accesorios deben ser objeto de una recogida selectiva atendiendo a la directiva europea 2002/96/EC. Al final de la vida útil del dispositivo, haga uso de los contenedores de reciclaje.

ENGLISH

SPECIFICATIONS	IRON-10 / IGG316368 IRON-10W / IGG315316	IRON-30 / IGG316351 IRON-30W / IGG315767 IRON-30PW / IGG318782 IRON-20 / IGG319307 IRON-35 / IGG317464	IRON-50 / IGG316344 IRON-50W / IGG317440	IRON-70 / IGG317433	IRON-10R / IGG317945	IRON-30B / IGG317938	IRON-HD / IGG318942
Front access slot	1	1	1	2	1	1	2
High-strength ball bearing rollers	✓	✓	✓	✓	✓	✓	✓
Three locking positions	✓	✓	✓	✓	✓	✓	✓
Manual or automatic opening	✓	✓	✓	✓	✓	✓	✓
RJ11 interface (alimentation 12V)	✓	✓	✓	✓	✓	✓	✓
Water cell	✗	✗	✗	✗	✓	✓	✗
Decorative frame	No	No	No	No	No	Blue	No
Colour	Black (10) Ivory White (10W)	Black (20, 30, 35) Ivory White (30W) Pure White (30PW)	Black (50) Ivory White (50W)	Black (70)	Black (10R)	Black (30B)	Black
Weight (kg)	3,4	4,5	4,7	5,7	3,6	4,7	7,2
Compartments	4 bills and 6 coins	5 bills and 5 coins (IRON-30-30W-30PW) 4 bills and 8 coins (IRON-20) 5 bills and 6 coins (IRON-35)	5 bills and 8 coins	5 bills and 8 coins	4 bills and 5 coins	5 bills and 7 coins or 7 bills and 5 coins	5 bills and 8 coins
Dimensions (mm)	380x335x80	420x405x100	420x405x100	445x425x90	380x335x90	420x405x100	415x410x100

**1. Use of the coin compartment:**

You can store receipts or checks in the slot located on the front panel. To recover it, take the compartment coin out. If you wish to adjust the number and measure of the compartments, you only need to move the spacers to the desired place.

**2. How to open de coin drawer**

- Opening with a key: Insert the key in the lock and turn to the manual open position.
- Automatic opening: Insert the key in the lock, turn to the automatic open position, take the key out and connect the drawer to the device you want (ticket printer...).

**3. Security Instructions, maintenance**

- Never open de device. The internal parts can be dangerous giving an electric shock.
- Do not install this unit near wáter or spill any type of liquid on the device.
- Avoid inserting objects of any kind.
- Use always approved and recommended cables by the manufacturer.
- Keep the device always in an ambient temperature not higher than 30°C.
- Clean the device with a clean and dry cloth.

**4. Recycling:**

The electric or electrónic products, batteries, accumulators and other accessories must be subject to selective collection according to the European directive 2002/96/EC. At the end of the life device, use the recycling containers.